

Unix System Administration

Updating FreeBSD

Patrick Okui
April 20, 2005

Slide 1

Why update

- Fix bugs in the OS – some of them related to security issues that could potentially leave your system vulnerable to different kinds of attack.
- Get “drivers” for new hardware previously unsupported and/or updates to existing drivers.
- Other features that may be interesting like better memory management, background FSCK (introduced in the 5.X versions) etc

Patrick Okui
April 20, 2005

Slide 2

Branches of FreeBSD

- CURRENT

The “bleeding edge” of FreeBSD development. FreeBSD-CURRENT users are expected to have a high degree of technical skill, and should be capable of solving difficult system problems on their own. If you are new to FreeBSD, PLEASE DO NOT install it.

- STABLE

The development branch from which major releases are made. Changes go into this branch at a different pace, and with the general assumption that they have first gone into FreeBSD-CURRENT for testing. This is still a development branch, however.

Patrick Okui
April 20, 2005

Slide 3

Users of CURRENT

- Members of the FreeBSD community who are actively working on some part of the source tree and for whom keeping “current” is an absolute requirement.
- Members of the FreeBSD community who are active testers, willing to spend time solving problems in order to ensure that FreeBSD-CURRENT remains as sane as possible. These are also people who wish to make topical suggestions on changes and the general direction of FreeBSD, and submit patches to implement them.
- Those who merely wish to keep an eye on things, or to use the current sources for reference purposes (e.g. for reading, not running). These people also make the occasional comment or contribute code.
- Subscribe to freebsd-current@freebsd.org

Patrick Okui
April 20, 2005

Slide 4

STABLE

- Still developmental – but more tested than -CURRENT. Track STABLE with caution. This is what gives us the next release of FreeBSD.
- Possible to track a specific version after it's been released. E.g tracking only 5.3 which should get mostly security updates and almost nothing else.
- Advisable to test on a testing server before deployment in a live environment.
- Subscribe to freebsd-stable@freebsd.org

Patrick Okui
April 20, 2005

Slide 5

How to upgrade

- Reinstalling a new release from CD – this overwrites all your configuration files, settings etc. (Partition wisely for data preservation). 3rd Party applications need to be reinstalled.
- Binary upgrade feature available on the CDROM:
 - ✓ Fast and Easy
 - ✓ Very buggy and could break your system esp by not maintaining your configurations
 - ✓ Will not preserve custom options done at compile time e.g removing IPV6 from the kernel
 - ✓ Not optimised for your hardware – a problem if your hardware is very specific

Patrick Okui
April 20, 2005

Slide 6

- Binary update using FreeBSD update available online from the website <http://www.daemonology.net/freebsd-update/> and also available in the ports
 - ✓ Tracks only security problems
 - ✓ Fast and easy to run
 - ✓ Still loses your compile time customisations
 - ✓ Potentially puts part of the system out of sync with the rest of the system if it doesn't handle changes to configuration files
 - ✓ Does not play nice if you upgrade your system any other way.
- Updating through source (using cvsup)
 - ✓ Most flexible – maintaining your run-time modifications.
 - ✓ Allows you to maintain your configuration files and/or update them manually when needed
 - ✓ Slowest method and requires some knowledge of cvsup

Patrick Okui
April 20, 2005

Slide 7

At this point we would update source but previous “magic cvsup command” handled in previous session took care of that.

- Do source update

```
cd /usr/src
less /usr/src/UPDATING
make buildworld
make buildkernel
make installkernel
```

[reboot in single user mode]

Patrick Okui
April 20, 2005

Slide 8

```
cd /usr/src
```

```
/etc/rc.d/preseedrandom (why?)
```

```
mergemaster -p
```

```
make installworld
```

```
mergemaster
```

```
[reboot]
```

